



MaxiDiagElite_EPB_Volvo_V0.99.06 Function List

NOTES:

- This function is supported.
 - ※ This function may be supported, which depends on the actual condition of the vehicle.
 - This function is not supported.
 - ▲ This function is the new feature in this version.
- As for special function please refer to the special function table.

| Vehicle | Year | System | Type | ECU Info. | Read DTC | Clear DTC | Freeze Frame | Live Data | Active Test | Special Function | Other |
|------------|------|--------|--------------|-----------|----------|-----------|--------------|-----------|-------------|------------------|-------|
| XC70 (08-) | 2010 | DIM | | ● | ● | ● | ● | ● | ○ | 286 | |
| V70 (08-) | 2010 | DIM | | ● | ● | ● | ● | ● | ○ | 286 | |
| XC60 | 2010 | DIM | | ● | ● | ● | ● | ● | ○ | 286 | |
| V70 (08-) | 2010 | ECM | B4204S3 | ● | ● | ● | ● | ● | ● | 285 | |
| V70 (08-) | 2010 | ECM | B4204S4 | ● | ● | ● | ● | ● | ● | 285 | |
| V70 (08-) | 2010 | ECM | B4204S4\MPS6 | ● | ● | ● | ● | ● | ● | 285 | |
| V70 (08-) | 2010 | ECM | B4204S7 | ● | ● | ● | ● | ● | ● | 285 | |
| S80 (07-) | 2010 | DIM | | ● | ● | ● | ● | ● | ○ | 286 | |
| S80 (07-) | 2010 | ECM | B4204S4 | ● | ● | ● | ● | ● | ● | 285 | |
| S80 (07-) | 2010 | ECM | B4204S3 | ● | ● | ● | ● | ● | ● | 285 | |
| S80 (07-) | 2010 | ECM | B4204S4\MPS6 | ● | ● | ● | ● | ● | ● | 285 | |
| S80L | 2010 | DIM | | ● | ● | ● | ● | ● | ○ | 286 | |
| S40 (04-) | 2010 | DIM | | ● | ● | ● | ● | ● | ● | 286 | |
| S40 (04-) | 2010 | CEM | | ● | ● | ● | ● | ● | ● | 286 | |
| S40 (04-) | 2010 | CEM-HS | | ● | ● | ● | ● | ● | ● | 286 | |
| V50 | 2010 | DIM | | ● | ● | ● | ● | ● | ● | 286 | |
| V50 | 2010 | CEM | | ● | ● | ● | ● | ● | ● | 286 | |
| V50 | 2010 | CEM-HS | | ● | ● | ● | ● | ● | ● | 286 | |
| C70 (06-) | 2010 | DIM | | ● | ● | ● | ● | ● | ● | 286 | |
| C70 (06-) | 2010 | CEM | | ● | ● | ● | ● | ● | ● | 286 | |
| C70 (06-) | 2010 | CEM-HS | | ● | ● | ● | ● | ● | ● | 286 | |
| C30 | 2010 | DIM | | ● | ● | ● | ● | ● | ● | 286 | |
| C30 | 2010 | CEM | | ● | ● | ● | ● | ● | ● | 286 | |
| C30 | 2010 | CEM-HS | | ● | ● | ● | ● | ● | ● | 286 | |
| S60 (11-) | 2011 | PBM | | ● | ● | ● | ● | ● | ○ | 18 | |
| S60 (11-) | 2011 | DIM | | ● | ● | ● | ● | ● | ○ | 286 | |
| V60 | 2011 | PBM | | ● | ● | ● | ● | ● | ○ | 18 | |
| V60 | 2011 | DIM | | ● | ● | ● | ● | ● | ○ | 286 | |
| C30 | 2011 | DIM | | ● | ● | ● | ● | ● | ● | 286 | |
| C30 | 2011 | CEM-HS | | ● | ● | ● | ● | ● | ● | 286 | |
| C30 | 2011 | CEM | | ● | ● | ● | ● | ● | ● | 286 | |



MaxiDiagElite_EPB_Volvo_V0.99.06 Function List

NOTES:

- This function is supported.
 - ※ This function may be supported, which depends on the actual condition of the vehicle.
 - This function is not supported.
 - ▲ This function is the new feature in this version.
- As for special function please refer to the special function table.

| Vehicle | Year | System | Type | ECU Info. | Read DTC | Clear DTC | Freeze Frame | Live Data | Active Test | Special Function | Other |
|-----------|------|--------|-----------------|-----------|----------|-----------|--------------|-----------|-------------|------------------|-------|
| V50 | 2011 | DIM | | ● | ● | ● | ● | ● | ● | 286 | |
| V50 | 2011 | CEM-HS | | ● | ● | ● | ● | ● | ● | 286 | |
| V50 | 2011 | CEM | | ● | ● | ● | ● | ● | ● | 286 | |
| C70 (06-) | 2011 | DIM | | ● | ● | ● | ● | ● | ● | 286 | |
| C70 (06-) | 2011 | CEM-HS | | ● | ● | ● | ● | ● | ● | 286 | |
| C70 (06-) | 2011 | CEM | | ● | ● | ● | ● | ● | ● | 286 | |
| S40 (04-) | 2011 | DIM | | ● | ● | ● | ● | ● | ● | 286 | |
| S40 (04-) | 2011 | CEM-HS | | ● | ● | ● | ● | ● | ● | 286 | |
| S40 (04-) | 2011 | CEM | | ● | ● | ● | ● | ● | ● | 286 | |
| C30 | 2011 | CEM | D5204T | ● | ● | ● | ● | ● | ● | 286 | |
| C30 | 2011 | CEM-HS | D5204T | ● | ● | ● | ● | ● | ● | 286 | |
| C70 (06-) | 2011 | CEM | D5204T | ● | ● | ● | ● | ● | ● | 286 | |
| C70 (06-) | 2011 | CEM-HS | D5204T | ● | ● | ● | ● | ● | ● | 286 | |
| S40 (04-) | 2011 | CEM | D5204T | ● | ● | ● | ● | ● | ● | 286 | |
| S40 (04-) | 2011 | CEM-HS | D5204T | ● | ● | ● | ● | ● | ● | 286 | |
| V50 | 2011 | CEM | D5204T | ● | ● | ● | ● | ● | ● | 286 | |
| V50 | 2011 | CEM-HS | D5204T | ● | ● | ● | ● | ● | ● | 286 | |
| S80 (07-) | 2011 | PBM | | ● | ● | ● | ● | ● | ○ | 18 | |
| S80 (07-) | 2011 | DIM | | ● | ● | ● | ● | ● | ○ | 286 | |
| S80 (07-) | 2011 | TCM | TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| S80 (07-) | 2011 | TCM | B5254T8\TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| S60 (11-) | 2011 | TCM | TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| S60 (11-) | 2011 | TCM | TF-80SC AWD | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| V60 | 2011 | TCM | TF-80SC AWD | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| V60 | 2011 | TCM | TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| S40 (04-) | 2011 | TCM | D5204T\TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| V50 | 2011 | TCM | D5204T\TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| C70 (06-) | 2011 | TCM | D5204T\TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| C30 | 2011 | TCM | D5204T\TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| S80 (07-) | 2011 | ECM | B4204S3 | ● | ● | ● | ● | ● | ● | 285 | |
| S80 (07-) | 2011 | ECM | B4204S4 | ● | ● | ● | ● | ● | ● | 285 | |

MaxiDiagElite_EPB_Volvo_V0.99.06 Function List

NOTES:

- This function is supported.
 - ※ This function may be supported, which depends on the actual condition of the vehicle.
 - This function is not supported.
 - ▲ This function is the new feature in this version.
- As for special function please refer to the special function table.

| Vehicle | Year | System | Type | ECU Info. | Read DTC | Clear DTC | Freeze Frame | Live Data | Active Test | Special Function | Other |
|------------|-------|--------|----------------------|-----------|----------|-----------|--------------|-----------|-------------|------------------|-------|
| S80 (07-) | 2011 | ECM | B4204S4\MPS6 | ● | ● | ● | ● | ● | ● | 285 | |
| S80 (07-) | 2011 | TCM | B5254T11\TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| S80 (07-) | 2011 | TCM | TF-80SC AWD | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| V70 (08-) | 2011 | PBM | | ● | ● | ● | ● | ● | ○ | 18 | |
| V70 (08-) | 2011 | DIM | | ● | ● | ● | ● | ● | ○ | 286 | |
| S80L | 2011 | DIM | | ● | ● | ● | ● | ● | ○ | 286 | |
| S80L | 2011 | TCM | TF-80SC AWD | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| V70 (08-) | 2011 | ECM | B4204S3 | ● | ● | ● | ● | ● | ● | 285 | |
| V70 (08-) | 2011 | ECM | B4204S4 | ● | ● | ● | ● | ● | ● | 285 | |
| V70 (08-) | 2011 | ECM | B4204S4\MPS6 | ● | ● | ● | ● | ● | ● | 285 | |
| V70 (08-) | 2011 | TCM | TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| V70 (08-) | 2011 | TCM | B5254T11\TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| V70 (08-) | 2011 | TCM | TF-80SC AWD | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| V70 (08-) | 2011 | TCM | D5244T10\TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| V70 (08-) | 2011 | TCM | D5244T10\TF-80SC AWD | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| XC70 (08-) | 2011 | PBM | | ● | ● | ● | ● | ● | ○ | 18 | |
| XC70 (08-) | 2011 | DIM | | ● | ● | ● | ● | ● | ○ | 286 | |
| XC70 (08-) | 2011 | TCM | TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| XC70 (08-) | 2011 | TCM | TF-80SC AWD | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| XC70 (08-) | 2011 | TCM | D5244T10\TF-80SC AWD | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| XC70 (08-) | 2011 | TCM | D5244T16\TF-80SC AWD | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| C70 (06-) | 2011A | DIM | | ● | ● | ● | ● | ● | ● | 286 | |
| C70 (06-) | 2011A | CEM | | ● | ● | ● | ● | ● | ● | 286 | |
| C70 (06-) | 2011A | CEM-HS | | ● | ● | ● | ● | ● | ● | 286 | |
| C30 | 2011A | DIM | | ● | ● | ● | ● | ● | ● | 286 | |
| C30 | 2011A | CEM | | ● | ● | ● | ● | ● | ● | 286 | |
| C30 | 2011A | CEM-HS | | ● | ● | ● | ● | ● | ● | 286 | |
| C70 (06-) | 2011 | CEM | D5204T5 | ● | ● | ● | ● | ● | ● | 286 | |
| C70 (06-) | 2011 | CEM-HS | D5204T5 | ● | ● | ● | ● | ● | ● | 286 | |
| C70 (06-) | 2011 | TCM | D5204T5\TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| S60 (11-) | 2011 | TCM | B5254T5\TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |



MaxiDiagElite_EPB_Volvo_V0.99.06 Function List

NOTES:

- This function is supported.
 - ※ This function may be supported, which depends on the actual condition of the vehicle.
 - This function is not supported.
 - ▲ This function is the new feature in this version.
- As for special function please refer to the special function table.

| Vehicle | Year | System | Type | ECU Info. | Read DTC | Clear DTC | Freeze Frame | Live Data | Active Test | Special Function | Other |
|------------|------|--------|----------------------|-----------|----------|-----------|--------------|-----------|-------------|------------------|-------|
| V60 | 2011 | TCM | B5254T5\TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| S80 (07-) | 2011 | TCM | B5254T10\TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| V70 (08-) | 2011 | TCM | B5254T10\TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| V50 | 2011 | CEM | D4162T | ● | ● | ● | ● | ● | ● | 286 | |
| V50 | 2011 | CEM-HS | D4162T | ● | ● | ● | ● | ● | ● | 286 | |
| S40 (04-) | 2011 | CEM | D4162T | ● | ● | ● | ● | ● | ● | 286 | |
| S40 (04-) | 2011 | CEM-HS | D4162T | ● | ● | ● | ● | ● | ● | 286 | |
| C30 | 2011 | CEM | D4162T | ● | ● | ● | ● | ● | ● | 286 | |
| C30 | 2011 | CEM-HS | D4162T | ● | ● | ● | ● | ● | ● | 286 | |
| XC60 | 2011 | PBM | | ● | ● | ● | ● | ● | ○ | 18 | |
| XC60 | 2011 | DIM | | ● | ● | ● | ● | ● | ○ | 286 | |
| XC60 | 2011 | TCM | TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| XC60 | 2011 | TCM | TF-80SC AWD | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| XC60 | 2011 | TCM | D5244T10\TF-80SC AWD | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| XC60 | 2011 | TCM | D5244T16\TF-80SC AWD | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| C30 | 2011 | CEM | D5204T5 | ● | ● | ● | ● | ● | ● | 286 | |
| C30 | 2011 | CEM-HS | D5204T5 | ● | ● | ● | ● | ● | ● | 286 | |
| C30 | 2011 | TCM | D5204T5\TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| S40 (04-) | 2011 | CEM | D5204T5 | ● | ● | ● | ● | ● | ● | 286 | |
| S40 (04-) | 2011 | CEM-HS | D5204T5 | ● | ● | ● | ● | ● | ● | 286 | |
| S40 (04-) | 2011 | TCM | D5204T5\TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| V50 | 2011 | CEM | D5204T5 | ● | ● | ● | ● | ● | ● | 286 | |
| V50 | 2011 | CEM-HS | D5204T5 | ● | ● | ● | ● | ● | ● | 286 | |
| V50 | 2011 | TCM | D5204T5\TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| S80 (07-) | 2012 | PBM | | ● | ● | ● | ● | ● | ○ | 18 | |
| S80 (07-) | 2012 | DIM | | ● | ● | ● | ● | ● | ○ | 286 | |
| S60 (11-) | 2012 | PBM | | ● | ● | ● | ● | ● | ○ | 18 | |
| S60 (11-) | 2012 | DIM | | ● | ● | ● | ● | ● | ○ | 286 | |
| V70 (08-) | 2012 | PBM | | ● | ● | ● | ● | ● | ○ | 18 | |
| V70 (08-) | 2012 | DIM | | ● | ● | ● | ● | ● | ○ | 286 | |
| XC70 (08-) | 2012 | PBM | | ● | ● | ● | ● | ● | ○ | 18 | |

MaxiDiagElite_EPB_Volvo_V0.99.06 Function List

NOTES:

- This function is supported.
 - ※ This function may be supported, which depends on the actual condition of the vehicle.
 - This function is not supported.
 - ▲ This function is the new feature in this version.
- As for special function please refer to the special function table.

| Vehicle | Year | System | Type | ECU Info. | Read DTC | Clear DTC | Freeze Frame | Live Data | Active Test | Special Function | Other |
|------------|------|--------|-----------------|-----------|----------|-----------|--------------|-----------|-------------|------------------|-------|
| XC70 (08-) | 2012 | DIM | | ● | ● | ● | ● | ● | ○ | 286 | |
| S80L | 2012 | DIM | | ● | ● | ● | ● | ● | ○ | 286 | |
| V60 | 2012 | PBM | | ● | ● | ● | ● | ● | ○ | 18 | |
| V60 | 2012 | DIM | | ● | ● | ● | ● | ● | ○ | 286 | |
| XC60 | 2012 | PBM | | ● | ● | ● | ● | ● | ○ | 18 | |
| XC60 | 2012 | DIM | | ● | ● | ● | ● | ● | ○ | 286 | |
| S40 (04-) | 2012 | DIM | | ● | ● | ● | ● | ● | ● | 286 | |
| S40 (04-) | 2012 | CEM | | ● | ● | ● | ● | ● | ● | 286 | |
| S40 (04-) | 2012 | CEM-HS | | ● | ● | ● | ● | ● | ● | 286 | |
| V50 | 2012 | DIM | | ● | ● | ● | ● | ● | ● | 286 | |
| V50 | 2012 | CEM | | ● | ● | ● | ● | ● | ● | 286 | |
| V50 | 2012 | CEM-HS | | ● | ● | ● | ● | ● | ● | 286 | |
| C30 | 2012 | DIM | | ● | ● | ● | ● | ● | ● | 286 | |
| C30 | 2012 | CEM | | ● | ● | ● | ● | ● | ● | 286 | |
| C30 | 2012 | CEM-HS | | ● | ● | ● | ● | ● | ● | 286 | |
| C70 (06-) | 2012 | DIM | | ● | ● | ● | ● | ● | ● | 286 | |
| C70 (06-) | 2012 | CEM | | ● | ● | ● | ● | ● | ● | 286 | |
| C70 (06-) | 2012 | CEM-HS | | ● | ● | ● | ● | ● | ● | 286 | |
| S40 (04-) | 2012 | CEM | D4162T | ● | ● | ● | ● | ● | ● | 286 | |
| S40 (04-) | 2012 | CEM-HS | D4162T | ● | ● | ● | ● | ● | ● | 286 | |
| S40 (04-) | 2012 | CEM | D5204T | ● | ● | ● | ● | ● | ● | 286 | |
| S40 (04-) | 2012 | CEM-HS | D5204T | ● | ● | ● | ● | ● | ● | 286 | |
| S40 (04-) | 2012 | TCM | D5204T\TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| S40 (04-) | 2012 | CEM | D5204T5 | ● | ● | ● | ● | ● | ● | 286 | |
| S40 (04-) | 2012 | CEM-HS | D5204T5 | ● | ● | ● | ● | ● | ● | 286 | |
| S40 (04-) | 2012 | TCM | D5204T5\TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| V50 | 2012 | CEM | D5204T | ● | ● | ● | ● | ● | ● | 286 | |
| V50 | 2012 | CEM-HS | D5204T | ● | ● | ● | ● | ● | ● | 286 | |
| V50 | 2012 | CEM | D4162T | ● | ● | ● | ● | ● | ● | 286 | |
| V50 | 2012 | CEM-HS | D4162T | ● | ● | ● | ● | ● | ● | 286 | |
| V50 | 2012 | CEM | D5204T5 | ● | ● | ● | ● | ● | ● | 286 | |

MaxiDiagElite_EPB_Volvo_V0.99.06 Function List

NOTES:

- This function is supported.
 - ※ This function may be supported, which depends on the actual condition of the vehicle.
 - This function is not supported.
 - ▲ This function is the new feature in this version.
- As for special function please refer to the special function table.

| Vehicle | Year | System | Type | ECU Info. | Read DTC | Clear DTC | Freeze Frame | Live Data | Active Test | Special Function | Other |
|------------|------|--------|-----------------|-----------|----------|-----------|--------------|-----------|-------------|------------------|-------|
| V50 | 2012 | CEM-HS | D5204T5 | ● | ● | ● | ● | ● | ● | 286 | |
| V50 | 2012 | TCM | D5204T\TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| V50 | 2012 | TCM | D5204T5\TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| C30 | 2012 | CEM | D5204T5 | ● | ● | ● | ● | ● | ● | 286 | |
| C30 | 2012 | CEM-HS | D5204T5 | ● | ● | ● | ● | ● | ● | 286 | |
| C30 | 2012 | CEM | D4162T | ● | ● | ● | ● | ● | ● | 286 | |
| C30 | 2012 | CEM-HS | D4162T | ● | ● | ● | ● | ● | ● | 286 | |
| C30 | 2012 | CEM | D5204T | ● | ● | ● | ● | ● | ● | 286 | |
| C30 | 2012 | CEM-HS | D5204T | ● | ● | ● | ● | ● | ● | 286 | |
| C30 | 2012 | TCM | D5204T\TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| C30 | 2012 | TCM | D5204T5\TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| C70 (06-) | 2012 | CEM | D5204T5 | ● | ● | ● | ● | ● | ● | 286 | |
| C70 (06-) | 2012 | CEM-HS | D5204T5 | ● | ● | ● | ● | ● | ● | 286 | |
| C70 (06-) | 2012 | CEM | D5204T | ● | ● | ● | ● | ● | ● | 286 | |
| C70 (06-) | 2012 | CEM-HS | D5204T | ● | ● | ● | ● | ● | ● | 286 | |
| C70 (06-) | 2012 | TCM | D5204T\TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| C70 (06-) | 2012 | TCM | D5204T5\TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| S80 (07-) | 2012 | TCM | TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| S80 (07-) | 2012 | TCM | B5254T8\TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| S80 (07-) | 2012 | TCM | TF-80SC AWD | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| S80L | 2012 | TCM | TF-80SC AWD | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| V70 (08-) | 2012 | TCM | TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| V70 (08-) | 2012 | TCM | TF-80SC AWD | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| XC70 (08-) | 2012 | TCM | TF-80SC AWD | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| XC70 (08-) | 2012 | TCM | TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| S60 (11-) | 2012 | TCM | TF-80SC AWD | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| S60 (11-) | 2012 | TCM | TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| S60 (11-) | 2012 | TCM | B5254T5\TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| V60 | 2012 | TCM | TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| V60 | 2012 | TCM | TF-80SC AWD | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| XC60 | 2012 | TCM | TF-80SC AWD | ● | ● | ● | ● | ● | ○ | 255, 273 | |

MaxiDiagElite_EPB_Volvo_V0.99.06 Function List

NOTES:

- This function is supported.
 - ※ This function may be supported, which depends on the actual condition of the vehicle.
 - This function is not supported.
 - ▲ This function is the new feature in this version.
- As for special function please refer to the special function table.

| Vehicle | Year | System | Type | ECU Info. | Read DTC | Clear DTC | Freeze Frame | Live Data | Active Test | Special Function | Other |
|--------------|-------|--------|------------------|-----------|----------|-----------|--------------|-----------|-------------|------------------|-------|
| XC60 | 2012 | TCM | TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| S60 (11-) | 2012A | PBM | | ● | ● | ● | ● | ● | ○ | 18 | |
| S60 (11-) | 2012A | DIM | | ● | ● | ● | ● | ● | ○ | 286 | |
| S60 (11-) | 2012A | TCM | TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| S60 (11-) | 2012A | TCM | B5254T5\TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| S60 (11-) | 2012A | TCM | TF-80SC AWD | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| C30 Electric | 2011 | DIM | | ● | ● | ● | ● | ● | ● | 286 | |
| C30 Electric | 2011 | CEM-HS | | ● | ● | ● | ● | ● | ● | 286 | |
| C30 Electric | 2011 | CEM | | ● | ● | ● | ● | ● | ● | 286 | |
| V70 (08-) | 2012 | TCM | B5254T10\TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| C30 Electric | 2012 | DIM | | ● | ● | ● | ● | ● | ● | 286 | |
| C30 Electric | 2012 | CEM-HS | | ● | ● | ● | ● | ● | ● | 286 | |
| C30 Electric | 2012 | CEM | | ● | ● | ● | ● | ● | ● | 286 | |
| S80 (07-) | 2012 | TCM | B5254T10\TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| S60 (11-) | 2012 | TCM | D5204T3\TF-80SD | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| V60 | 2012 | TCM | D5204T3\TF-80SD | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| S80 (07-) | 2012 | TCM | D5204T3\TF-80SD | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| V70 (08-) | 2012 | TCM | D5204T3\TF-80SD | ● | ● | ● | ● | ● | ○ | 255, 273 | |
| C30 | 2011A | DIM | | ● | ● | ● | ● | ● | ● | 286 | |
| C30 | 2011A | CEM | | ● | ● | ● | ● | ● | ● | 286 | |
| C30 | 2011A | CEM-HS | | ● | ● | ● | ● | ● | ● | 286 | |
| C70 (06-) | 2011A | DIM | | ● | ● | ● | ● | ● | ● | 286 | |
| C70 (06-) | 2011A | CEM | | ● | ● | ● | ● | ● | ● | 286 | |
| C70 (06-) | 2011A | CEM-HS | | ● | ● | ● | ● | ● | ● | 286 | |
| S80L | 2012 | TCM | TF-80SC | ● | ● | ● | ● | ● | ○ | 255, 273 | |