





1 system language: select American English










2 Firstly enter registering table








3 install 【Renault can-clip v109】










select the language you want











4 connect device to car-connect USB with computer to install driver



Found New Hardware Wizard



Welcome to the Found New Hardware Wizard

This wizard helps you install software for:

JCAE ISO AVANT RENUMERATION

 **If your hardware came with an installation CD or floppy disk, insert it now.**

What do you want the wizard to do?

Install the software automatically (Recommended)

Install from a list or specific location (Advanced)

Click Next to continue.

< Back **Next >** Cancel

Found New Hardware Wizard



Welcome to the Found New Hardware Wizard

This wizard helps you install software for:

JCAE CAN APRES RENUMERATION

 **If your hardware came with an installation CD or floppy disk, insert it now.**

What do you want the wizard to do?

Install the software automatically (Recommended)


Install from a list or specific location (Advanced)

Click Next to continue.


< Back **Next >** Cancel




5 run the software and start to diagnose



Enter the vehicle VIN to communicate and diagnose



select the specific control unit you want to diagnose



Finish-diagnosing

SA09	FAULTS TEST	PETROL INJECTION
TEST WITH ENGINE STOPPED AND THEN RUNNING.		
<u>DF014</u>	<u>CANISTER PURGE SOLENOID VALVE CIRCUIT</u>	CO 
<u>DF118</u>	<u>REFRIGERANT PRESSURE SENSOR CIRCUIT</u>	
		
		
STATUSES AND PARAMETERS	ERASING	DEAL WITH FAULTS